

## nag\_check\_deriv\_1 (c05zcc)

### 1. Purpose

**nag\_check\_deriv\_1 (c05zcc)** checks that a user-supplied C function for evaluating a vector of functions and the matrix of their first derivatives produces derivative values which are consistent with the function values calculated.

### 2. Specification

```
#include <nag.h>
#include <nagc05.h>

void nag_check_deriv_1(Integer n, double x[], double fvec[], double fjac[],
    Integer tdfjac,
    void (*f)(Integer n, double x[], double fvec[],
        double fjac[], Integer tdfjac, Integer *userflag),
    Nag_User *comm, NagError *fail)
```

### 3. Description

**nag\_check\_deriv\_1** checks the derivatives calculated by user-supplied C functions, e.g. functions of the form required for **nag\_zero\_nonlin\_eqns\_deriv\_1 (c05ubc)**. As well as the C function to be checked **f**, the user must supply a point  $x = (x_1, x_2, \dots, x_n)^T$  at which the check will be made.

**nag\_check\_deriv\_1** first calls **f** to evaluate both the  $f_i(x)$  and their first derivatives, and uses these to calculate the sum of squares

$$F(x) = \sum_{i=1}^n [f_i(x)]^2,$$

and its first derivatives

$$g_j = \left. \frac{\partial F}{\partial x_j} \right|_x, \quad \text{for } j = 1, 2, \dots, n.$$

The components of  $g$  along two orthogonal directions (defined by unit vectors  $p_1$  and  $p_2$ , say) are then calculated; these will be  $g^T p_1$  and  $g^T p_2$  respectively. The same components are also estimated by finite differences, giving quantities

$$v_k = \frac{F(x + hp_k) - F(x)}{h}, \quad k = 1, 2$$

where  $h$  is a small positive scalar. If the relative difference between  $v_1$  and  $g^T p_1$  or between  $v_2$  and  $g^T p_2$  is judged too large, an error indicator is set.

### 4. Parameters

**n**

Input: the number  $n$  of variables,  $x_j$ , for use with **nag\_zero\_nonlin\_eqns\_deriv\_1 (c05ubc)**.  
Constraint: **n** > 0.

**x[n]**

Input: **x**[ $j - 1$ ], for  $j = 1, 2, \dots, n$  must be set to the co-ordinates of a suitable point at which to check the derivatives calculated by **f**. ‘Obvious’ settings, such as 0 or 1, should not be used since, at such particular points, incorrect terms may take correct values (particularly zero), so that errors can go undetected. For a similar reason, it is preferable that no two elements of **x** should have the same value.

**fvec[n]**

Output: unless **userflag** is set negative when evaluating  $f_i$  at the point given in **x**, **fvec**[ $i - 1$ ] contains the value of  $f_i$  at the point given by the user in **x**, for  $i = 1, 2, \dots, n$ .

**fjac[n][tdfjac]**

Output: unless **userflag** is set negative when evaluating the Jacobian at the point given in **x**, **fjac**[*i* − 1][*j* − 1] contains the value of the first derivative  $\partial f_i / \partial x_j$  at the point given in **x**, as calculated by **f**, for  $i = 1, 2, \dots, n$ ;  $j = 1, 2, \dots, n$ .

**tdfjac**

Input: the last dimension of array **fjac** as declared in the function from which nag\_check\_deriv\_1 is called.

Constraint: **tdfjac** ≥ **n**.

**f**

**f** must calculate the values of the functions at a point **x** or return the Jacobian at **x**. nag\_zero\_nonlin\_eqns\_deriv\_1 (c05ubc) gives the user the option of resetting a parameter to terminate immediately. nag\_check\_deriv\_1 will also terminate immediately, without finishing the checking process, if the parameter in question is reset.

The specification of **f** is:

```
void f(Integer n, double x[], double fvec[], double fjac[],
       Integer tdfjac, Integer *userflag)
```

**n**  
Input: the number of equations, *n*

**x[n]**  
Input: the components of the point *x* at which the functions or the Jacobian must be evaluated.

**fvec[n]**  
Output: if **userflag** = 1 on entry, **fvec** must contain the function values  $f_i(x)$  (unless **userflag** is set to a negative value by **f**).  
If **userflag** = 2 on entry, **fvec** must not be changed.

**fjac[n\*tdfjac]**  
Output: if **userflag** = 2 on entry, **fjac**[(*i* − 1)\***tdfjac** + *j* − 1] must contain the value of  $\partial f_i / \partial x_j$  at the point *x*, for  $i = 1, 2, \dots, n$ ;  $j = 1, 2, \dots, n$  (unless **userflag** is set to a negative value by **f**).  
If **userflag** = 1 on entry, **fjac** must not be changed.

**tdfjac**  
Input: the last dimension of array **fjac** as declared in the function from which nag\_check\_deriv\_1 is called.

**userflag**  
Input: **userflag** = 1 or 2.  
If **userflag** = 1, **fvec** is to be updated.  
If **userflag** = 2, **fjac** is to be updated.  
  
Output: in general, **userflag** should not be reset by **f**. If, however, the user wishes to terminate execution (perhaps because some illegal point **x** has been reached), then **userflag** should be set to a negative integer. This value will be returned through **fail.errnum**.

**comm**

Input/Output: pointer to a structure of type Nag\_User with the following member:

**p** - Pointer

Input/Output: the pointer **p**, of type Pointer, allows the user to communicate information to and from the user-defined function **f()**. An object of the required type should be declared by the user, e.g. a structure, and its address assigned to the pointer **p** by means of a cast to Pointer in the calling program, e.g. **comm.p** = (Pointer)&**s**. The type pointer will be **void \*** with a C compiler that defines **void \*** and **char \*** otherwise.

**fail**

The NAG error parameter, see the Essential Introduction to the NAG C Library.

## 5. Error Indications and Warnings

### NE\_INT\_ARG\_LE

On entry, **n** must not be less or equal to 0: **n** =  $\langle value \rangle$ .

### NE\_2\_INT\_ARG\_LT

On entry **tdfjac** =  $\langle value \rangle$  while **n** =  $\langle value \rangle$ . These parameters must satisfy **tdfjac**  $\geq$  **n**.

### NE\_ALLOC\_FAIL

Memory allocation failed.

### NE\_DERIV\_ERRORS

Large errors were found in the derivatives of the objective function.

The user should check carefully the derivation and programming of expressions for the  $\partial f_i / \partial x_j$ , because it is very unlikely that **f** is calculating them correctly.

### NE\_USER\_STOP

User requested termination, user flag value =  $\langle value \rangle$ .

## 6. Further Comments

Before using `nag_check_deriv_1` to check the calculation of the first derivatives, the user should be confident that **f** is evaluating the functions correctly.

### 6.1. Accuracy

**fail.code** is set to **NE\_DERIV\_ERRORS** if

$$(v_k - g^T p_k)^2 \geq h \times ((g^T p_k)^2 + 1)$$

for  $k = 1$  or  $2$ . (See Section 3 for definitions of the quantities involved.) The scalar  $h$  is set equal to  $\sqrt{\varepsilon}$ , where  $\varepsilon$  is the *machine precision*.

## 7. See Also

`nag_zero_nonlin_eqns_deriv_1` (c05ubc)

## 8. Example

This example checks the Jacobian matrix for the problem solved in the example program for `nag_zero_nonlin_eqns_deriv_1` (c05ubc).

### 8.1. Program Text

```
/* nag_check_deriv_1(c05zcc) Example Program
 *
 * Copyright 1998 Numerical Algorithms Group.
 *
 * Mark 5, 1998.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nagc05.h>

#ifdef NAG_PROTO
static void f(Integer n, double xc[], double fvecc[],
              double fjacc[], Integer tdj, Integer *userflag, Nag_User *comm);
#else
static void f();
#endif

main()
{
#define NMAX 5
```

```

double fjac[NMAX][NMAX], fvec[NMAX], x[NMAX];
Integer i, j, n, tdfjac;
static NagError fail;
Nag_User comm;

fail.print = TRUE;
Vprintf("c05zcc Example Program Results\n");
n = 3;
tdfjac = NMAX;

/* Set up an arbitrary point at which to check the 1st derivatives */
x[0] = 9.2e-01;
x[1] = 1.3e-01;
x[2] = 5.4e-01;
Vprintf("The test point is ");
for (j=0; j<n; ++j)
    Vprintf("%13.3e", x[j]);
Vprintf("\n\n");
c05zcc(n, x, fvec, (double *)fjac, tdfjac, f, &comm, &fail);
if (fail.code != NE_NOERROR) exit(EXIT_FAILURE);
Vprintf("1st derivatives are consistent with residual values.\n\n");
Vprintf("At the test point, f() gives\n\n");
Vprintf("    Residuals          1st derivatives\n\n");
for (i=0; i<n; ++i)
{
    Vprintf("%13.3e", fvec[i]);
    for (j=0; j<n; ++j)
        Vprintf("%13.3e", fjac[i][j]);
    Vprintf("\n");
}
exit(EXIT_SUCCESS);
}

#ifdef NAG_PROTO
static void f(Integer n, double x[], double fvec[], double fjac[],
              Integer tdfjac, Integer *userflag, Nag_User *comm)
#else
static void f(n, x, fvec, fjac, tdfjac, userflag, comm)
Integer n;
double x[], fvec[], fjac[];
Integer tdfjac;
Integer *userflag;
Nag_User *comm;
#endif
{
#define FJAC(I,J) fjac[((I))*tdfjac+(J)]
Integer j, k;

if (*userflag != 2)
{
    /* Calculate the function values */
    for (k=0; k<n; k++)
    {
        fvec[k] = (3.0-x[k]*2.0) * x[k] + 1.0;
        if (k>0) fvec[k] -= x[k-1];
        if (k<n-1) fvec[k] -= x[k+1] * 2.0;
    }
}
else
{
    /* Calculate the corresponding first derivatives */
    for (k=0; k<n; k++)
    {
        for (j=0; j<n; j++)
            FJAC(k,j)=0.0;
        FJAC(k,k) = 3.0 - x[k] * 4.0;
        if (k>0)
            FJAC(k,k-1) = -1.0;
        if (k<n-1)

```

```
        FJAC(k,k+1)= -2.0;
      }
    }
  }
```

8.2. Program Data

None.

8.3. Program Results

c05zcc Example Program Results  
The test point is      9.200e-01      1.300e-01      5.400e-01

1st derivatives are consistent with residual values.

At the test point, f() gives

Residuals		1st derivatives	
1.807e+00	-6.800e-01	-2.000e+00	0.000e+00
-6.438e-01	-1.000e+00	2.480e+00	-2.000e+00
1.907e+00	0.000e+00	-1.000e+00	8.400e-01