nag_opt_bounds_2nd_deriv (e04lbc)

1. Purpose

nag_opt_bounds_2nd_deriv (e04lbc) is a comprehensive modified-Newton algorithm for finding:

- an unconstrained minimum of a function of several variables
- a minimum of a function of several variables subject to fixed upper and/or lower bounds on the variables.

First and second derivatives are required. The function nag_opt_bounds_2nd_deriv is intended for objective functions which have continuous first and second derivatives (although it will usually work even if the derivatives have occasional discontinuities).

2. Specification

3. Description

This function is applicable to problems of the form:

```
\label{eq:force_force} \begin{aligned} & \text{Minimize} & & F(x_1, x_2, \dots, x_n) \\ & \text{subject to} & & l_j \leq x_j \leq u_j, \quad j = 1, 2, \dots, n. \end{aligned}
```

Special provision is made for unconstrained minimization (i.e., problems which actually have no bounds on the x_j), problems which have only non-negativity bounds, and problems in which $l_1 = l_2 = \ldots = l_n$ and $u_1 = u_2 = \ldots = u_n$. It is possible to specify that a particular x_j should be held constant. The user must supply a starting point, a function **objfun** to calculate the value of F(x) and its first derivatives $\partial F/\partial x_j$ at any point x, and a function **hessfun** to calculate the second derivatives $\partial^2 F/\partial x_j \partial x_j$.

A typical iteration starts at the current point x where n_z (say) variables are free from both their bounds. The vector of first derivatives of F(x) with respect to the free variables, g_z , and the matrix of second derivatives with respect to the free variables, H, are obtained. (These both have dimension n_z .) The equations

$$(H+E)p_z = -g_z$$

are solved to give a search direction p_z . (The matrix E is chosen so that H+E is positive-definite.) p_z is then expanded to an n-vector p by the insertion of appropriate zero elements; α is found such that $F(x+\alpha p)$ is approximately a minimum (subject to the fixed bounds) with respect to α , and x is replaced by $x+\alpha p$. (If a saddle point is found, a special search is carried out so as to move away from the saddle point.) If any variable actually reaches a bound, it is fixed and n_z is reduced for the next iteration.

There are two sets of convergence criteria – a weaker and a stronger. Whenever the weaker criteria are satisfied, the Lagrange-multipliers are estimated for all active constraints. If any Lagrange-multiplier estimate is significantly negative, then one of the variables associated with a negative Lagrange-multiplier estimate is released from its bound and the next search direction is computed in the extended subspace (i.e., n_z is increased). Otherwise, minimization continues in the current

subspace until the stronger criteria are satisfied. If at this point there are no negative or near-zero Lagrange-multiplier estimates, the process is terminated.

If the user specifies that the problem is unconstrained, nag_opt_bounds_2nd_deriv sets the l_j to -10^{10} and the u_j to 10^{10} . Thus, provided that the problem has been sensibly scaled, no bounds will be encountered during the minimization process and nag_opt_bounds_2nd_deriv will act as an unconstrained minimization algorithm.

4. Parameters

n

Input: the number n of independent variables.

Constraint: $\mathbf{n} \geq 1$.

objfun

objfun must evaluate the function F(x) and its first derivatives $\partial F/\partial x_j$ at any point x. (However, if the user does not wish to calculate F(x) or its first derivatives at a particular x, there is the option of setting a parameter to cause nag_opt_bounds_2nd_deriv to terminate immediately.)

The specification for **objfun** is:

```
void objfun(Integer n, double x[], double *objf, double g[], Nag_Comm *comm)
```

 \mathbf{n}

Input: the number n of variables.

x[n]

Input: the point x at which the value of F, or F and $\partial F/\partial x_i$, are required.

objf

Output: **objfun** must set **objf** to the value of the objective function F at the current point x. If it is not possible to evaluate F then **objfun** should assign a negative value to **comm->flag**; nag_opt_bounds_2nd_deriv will then terminate.

g[n]

Output: **objfun** must set $\mathbf{g}[j-1]$ to the value of the first derivative $\partial F/\partial x_j$ at the current point x, for $j=1,2,\ldots,n$. If it is not possible to evaluate the first derivatives then **objfun** should assign a negative value to **comm->flag**; nag_opt_bounds_2nd_deriv will then terminate.

comm

Pointer to structure of type Nag_Comm; the following members are relevant to **objfun**.

flag - Integer

Output: if **objfun** resets **comm->flag** to some negative number then nag_opt_bounds_2nd_deriv will terminate immediately with the error indicator **NE_USER_STOP**. If **fail** is supplied to nag_opt_bounds_2nd_deriv, **fail.errnum** will be set to the user's setting of **comm->flag**.

first - Boolean

Input: will be set to **TRUE** on the first call to **objfun** and **FALSE** for all subsequent calls.

3.e04lbc.2 [NP3275/5/pdf]

nf – Integer

Input: the number of evaluations of the objective function; this value will be equal to the number of calls made to **objfun** (including the current one).

user – double *

iuser – Integer *

p – Pointer

The type Pointer will be void * with a C compiler that defines void * and char * otherwise.

Before calling nag_opt_bounds_2nd_deriv these pointers may be allocated memory by the user and initialized with various quantities for use by **objfun** when called from nag_opt_bounds_2nd_deriv.

Note: objfun should be tested separately before being used in conjunction with nag_opt_bounds_2nd_deriv. The array **x** must **not** be changed by **objfun**.

hessfun

hessfun must calculate the second derivatives of F(x) at any point x. (As with **objfun** there is the option of causing nag_opt_bounds_2nd_deriv to terminate immediately.)

The specification for **hessfun** is:

void hessfun(Integer n, double x[], double h[], double hd[], Nag_Comm *comm)

 \mathbf{n}

Input: the number n of variables.

 $\mathbf{x}[\mathbf{n}]$

Input: the point x at which the second derivatives of F are required.

h[]

Output: **hessfun** must place the strict lower triangle of the second derivative matrix of F (evaluated at the point x) in \mathbf{h} , stored by rows, i.e., set

$$\mathbf{h}[(i-1)(i-2)/2 + j - 1] = \frac{\partial^2 F}{\partial x_i \partial x_j} \bigg|_{\mathbf{x}}, \quad \text{for } i = 2, 3, \dots, n; \ j = 1, 2, \dots, i - 1.$$

(The upper triangle is not required because the matrix is symmetric.) If it is not possible to evaluate the elements of **h** then **hessfun** should assign a negative value to **comm->flag**; nag_opt_bounds_2nd_deriv will then terminate.

hd[n]

Input: the value of $\partial F/\partial x_j$ at the point x, for $j=1,2,\ldots,n$.

These values may be useful in the evaluation of the second derivatives.

Output: unless **comm->flag** is reset to a negative number **hessfun** must place the diagonal elements of the second derivative matrix of F (evaluated at the point x) in **hd**, i.e., set

$$\mathbf{hd}[j-1] = \frac{\partial^2 F}{\partial x_i^2}\Big|_{\mathbf{x}}, \text{ for } j=1,2,\ldots,n.$$

If it is not possible to evaluate the elements of **hd** then **hessfun** should assign a negative value to **comm->flag**; nag_opt_bounds_2nd_deriv will then terminate.

comm

Pointer to structure of type Nag_Comm; the following members are relevant to **objfun**.

flag - Integer

Output: if hessfun resets comm->flag to some negative number then nag_opt_bounds_2nd_deriv will terminate immediately with the error indicator NE_USER_STOP. If fail is supplied to nag_opt_bounds_2nd_deriv fail.errnum will be set to the user's setting of comm->flag.

first - Boolean

Input: will be set to **TRUE** on the first call to **hessfun** and **FALSE** for all subsequent calls.

nf – Integer

Input: the number of calculations of the objective function; this value will be equal to the number of calls made to **hessfun** including the current one.

user – double *

iuser – Integer *

 \mathbf{p} – Pointer

The type Pointer will be void * with a C compiler that defines void * and char * otherwise.

Before calling nag_opt_bounds_2nd_deriv these pointers may be allocated memory by the user and initialized with various quantities for use by **hessfun** when called from nag_opt_bounds_2nd_deriv.

Note: hessfun should be tested separately before being used in conjunction with nag_opt_bounds_2nd_deriv. The array **x** must **not** be changed by hessfun.

bound

Input: indicates whether the problem is unconstrained or bounded and, if it is bounded, whether the facility for dealing with bounds of special forms is to be used. **bound** should be set to one of the following values:

$bound = Nag_Bounds$

if the variables are bounded and the user will be supplying all the l_i and u_i individually.

$bound = Nag_NoBounds$

if the problem is unconstrained.

$bound = Nag_BoundsZero$

if the variables are bounded, but all the bounds are of the form $0 \le x_i$.

$bound = Nag_BoundsEqual$

if all the variables are bounded, and $l_1 = l_2 = \ldots = l_n$ and $u_1 = u_2 = \ldots = u_n$.

 ${\bf Constraint:\ bound=Nag_Bounds,\ Nag_NoBounds,\ Nag_BoundsZero\ or\ Nag_BoundsEqual.}$

bl[n]

Input: the lower bounds l_i .

If **bound** is set to **Nag_Bounds**, the user must set $\mathbf{bl}[j-1]$ to l_j , for $j=1,2,\ldots,n$. (If a lower bound is not required for any x_j , the corresponding $\mathbf{bl}[j-1]$ should be set to a large negative number, e.g., -10^{10} .)

If **bound** is set to **Nag_BoundsEqual**, the user must set $\mathbf{bl}[0]$ to l_1 ; nag_opt_bounds_2nd_deriv will then set the remaining elements of \mathbf{bl} equal to $\mathbf{bl}[0]$.

If **bound** is set to **Nag_NoBounds** or **Nag_BoundsZero**, **bl** will be initialized by nag_opt_bounds_2nd_deriv.

Output: the lower bounds actually used by nag_opt_bounds_2nd_deriv, e.g., if **bound** = Nag_BoundsZero, $bl[0] = bl[1] = \dots = bl[n-1] = 0.0$.

bu[n]

Input: the upper bounds u_i .

If **bound** is set to **Nag_Bounds**, the user must set $\mathbf{bu}[j-1]$ to u_j , for $j=1,2,\ldots,n$. (If an upper bound is not required for any x_j , the corresponding $\mathbf{bu}[j-1]$ should be set to a large positive number, e.g., 10^{10} .)

3.e04lbc.4 [NP3275/5/pdf]

If **bound** is set to **Nag_BoundsEqual**, the user must set $\mathbf{bu}[0]$ to u_1 ; nag_opt_bounds_2nd_deriv will then set the remaining elements of \mathbf{bu} equal to $\mathbf{bu}[0]$.

If **bound** is set to **Nag_NoBounds** or **Nag_BoundsZero**, **bu** will be initialized by nag_opt_bounds_2nd_deriv.

Output: the upper bounds actually used by nag_opt_bounds_2nd_deriv, e.g., if **bound** = Nag_BoundsZero, bu[0] = bu[1] = ... = bu[n-1] = 10^{10} .

x[n]

Input: x[j-1] must be set to a guess at the jth component of the position of the minimum, for j = 1, 2, ..., n.

Output: the final point x^* . Thus, if **fail.code** = **NE_NOERROR** on exit, $\mathbf{x}[j-1]$ is the jth component of the estimated position of the minimum.

objf

Output: the function value at the final point given in \mathbf{x} .

g[n]

Output: the first derivative vector corresponding to the final point in \mathbf{x} . The elements of \mathbf{g} corresponding to free variables should normally be close to zero.

options

Input/Output: a pointer to a structure of type Nag_E04_Opt whose members are optional parameters for nag_opt_bounds_2nd_deriv. These structure members offer the means of adjusting some of the parameter values of the algorithm and on output will supply further details of the results. A description of the members of **options** is given below in Section 7.

If any of these optional parameters are required then the structure **options** should be declared and initialized by a call to nag_opt_init (e04xxc) and supplied as an argument to nag_opt_bounds_2nd_deriv. However, if the optional parameters are not required the NAG defined null pointer, E04_DEFAULT, can be used in the function call.

comm

Input/Output: structure containing pointers for communication to user-supplied functions; see the above description of **objfun** and **hessfun** for details. If the user does not need to make use of this communication feature the null pointer NAGCOMM_NULL may be used in the call to nag_opt_bounds_2nd_deriv; **comm** will then be declared internally for use in calls to user-supplied functions.

fail

The NAG error parameter, see the Essential Introduction to the NAG C Library. Users are recommended to declare and initialize **fail** and set **fail.print** = **TRUE** for this function.

4.1. Description of Printed Output

Intermediate and final results are printed out by default. The level of printed output can be controlled by the user with the structure member **options.print_level** (see Section 7.2). The default print level of **Nag_Soln_Iter** provides a single line of output at each iteration and the final result. This section describes the default printout produced by nag_opt_bounds_2nd_deriv.

The following line of output is produced at each iteration. In all cases the values of the quantities printed are those in effect on completion of the given iteration.

Itn the iteration count, k.

Nfun the cumulative number of calls made to **objfun**.

Objective the value of the objective function, $F(x^{(k)})$

Norm g the Euclidean norm of the projected gradient vector, $||g_z(x^{(k)})||$.

Norm x the Euclidean norm of $x^{(k)}$.

Norm(x(k-1)-x(k)) the Euclidean norm of $x^{(k-1)} - x^{(k)}$.

Step the step $\alpha^{(k)}$ taken along the computed search direction $p^{(k)}$.

Cond H the ratio of the largest to the smallest element of the diagonal factor D of

the projected Hessian matrix. This quantity is usually a good estimate of

the condition number of the projected Hessian matrix. (If no variables are currently free, this value will be zero.)

PosDef indicates whether the second derivative matrix H for the current subspace

is positive definite (Yes) or not (No).

The printout of the final result consists of:

x the final point, x^* .

g the final projected gradient vector, $g_z(x^*)$.

Status the final state of the variable with respect to its bound(s).

5. Comments

A list of possible error exits and warnings from nag_opt_bounds_2nd_deriv is given in Section 8. Details of timing, scaling, accuracy, and the use of nag_opt_bounds_2nd_deriv for unconstrained minimization are given in Section 9.

6. Example 1

This example minimizes the function

$$F = (x_1 + 10x_2)^2 + 5(x_3 - x_4)^2 + (x_2 - 2x_3)^4 + 10(x_1 - x_4)^4$$

subject to the bounds

$$\begin{aligned} &1 \leq x_1 \leq 3 \\ -2 \leq x_2 \leq 0 \\ &1 \leq x_4 \leq 3 \end{aligned}$$

starting from the initial guess $(1.46, -0.82, 0.57, 1.21)^T$.

This example shows the simple use of nag_opt_bounds_2nd_deriv where default values are used for all optional parameters. An example showing the use of optional parameters is given in Section 12. There is one example program file, the main program of which calls both examples. The main program and Example 1 are given below.

6.1. Program Text

```
/* nag_opt_bounds_2nd_deriv(e04lbc) Example Program.
  Copyright 1998 Numerical Algorithms Group.
 * Mark 5, 1998.
 */
#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <math.h>
#include <nage04.h>
#define NMAX 4
#ifdef NAG_PROTO
static void funct(Integer n, double xc[], double *fc, double gc[],
                  Nag_Comm *comm);
static void hess(Integer n, double xc[], double fhesl[],
                 double fhesd[], Nag_Comm *comm);
static void ex1(void);
static void ex2(void)
#else
static void funct();
static void hess();
```

3.e04lbc.6 [NP3275/5/pdf]

```
static void ex1();
static void ex2();
#endif
#ifdef NAG_PROTO
static void funct(Integer n, double xc[], double *fc, double gc[],
            Nag_Comm *comm)
#else
     static void funct(n,xc,fc,gc,comm)
     Integer n;
     double xc[],*fc,gc[];
     Nag_Comm *comm;
  /* Function to evaluate objective function and its 1st derivatives. */
  double term1, term1_sq;
  double term2, term2_sq;
  double term3, term3_sq, term3_cu;
  double term4, term4_sq, term4_cu;
  term1 = xc[0] + 10.0*xc[1];
  term1_sq = term1*term1;
  term2 = xc[2] - xc[3];
  term2_sq = term2*term2;
  term3 = xc[1] - 2.0*xc[2];
  term3_sq = term3*term3;
term3_cu = term3*term3_sq;
  term4 = xc[0] - xc[3];
  term4_sq = term4*term4;
  term4_cu = term4_sq*term4;
  *fc = term1_sq + 5.0*term2_sq
    + term3_sq*term3_sq + 10.0*term4_sq*term4_sq;
  gc[0] =
            2.0*term1 + 40.0*term4_cu;
 gc[1] = 20.0*term1 + 4.0*term3_cu;
gc[2] = 10.0*term2 - 8.0*term3_cu;
 gc[3] = -10.0*term2 - 40.0*term4_cu;
/* funct */
#ifdef NAG_PROTO
static void hess(Integer n, double xc[], double fhesl[],
          double fhesd[], Nag_Comm *comm)
#else
     static void hess(n, xc, fhesl, fhesd, comm)
     Integer n;
double xc[],fhesl[];
     double fhesd[];
     Nag_Comm *comm;
#endif
  /* Routine to evaluate 2nd derivatives */
  double term3_sq;
  double term4_sq;
  term3_sq = (xc[1] - 2.0*xc[2])*(xc[1] - 2.0*xc[2]);
term4_sq = (xc[0] - xc[3])*(xc[0] - xc[3]);
  fhesd[0] = 2.0 + 120.0*term4_sq;
  fhesd[1] = 200.0 + 12.0 * term3_sq;
  fhesd[2] = 10.0 + 48.0 * term3_sq;
  fhesd[3] = 10.0 + 120.0*term4_sq;
  fhesl[0] = 20.0;
  fhesl[1] = 0.0;
  fhes1[2] = -24.0*term3_sq;
```

```
fhesl[3] = -120.0*term4_sq;
fhesl[4] = 0.0;
  fhesl[5] = -10.0;
/* hess */
main()
{
  /* Two examples are called, ex1() which uses the
   * default settings to solve the problem and
   * ex2() which solves the same problem with
   Vprintf("e04lbc Example Program Results.\n");
  ex1();
  ex2();
  exit(EXIT_SUCCESS);
#ifdef NAG_PROTO
static void ex1(void)
#else
static void ex1()
#endif
  double x[NMAX];
  double bl[NMAX], bu[NMAX], g[NMAX];
  double f;
  Integer n = NMAX;
  static NagError fail;
  /* Function Body */
  fail.print = TRUE;
  Vprintf("\ne04lbc example 1: no option setting.\n");
  x[0] = 1.46;
  x[1] = -.82;

x[2] = .57;
  x[3] = 1.21;
  bl[0] = 1.0;
  bu[0] = 3.0;
  bl[1] = -2.0;
  bu[1] = 0.0;
  /* x[2] is not bounded, so we set bl[2] to a large negative
* number and bu[2] to a large positive number
*/
  b1[2] = -1e6;
  bu[2] = 1e6;
bl[3] = 1.0;
  bu[3] = 3.0;
  /* Set up starting point */
  x[0] = 3.0;
  x[1] = -1.0;
  x[2] = 0.0;
  x[3] = 1.0;
  e04lbc(n, funct, hess, Nag_Bounds, bl, bu, x, &f, g,
         EO4_DEFAULT, NAGCOMM_NULL, &fail);
/* ex1 */
```

3.e04lbc.8 [NP3275/5/pdf]

6.2. Program Data

None; but there is an example data file which contains the optional parameter values for Example 2 below.

6.3. Program Results

```
{\tt e041bc} \ {\tt Example} \ {\tt Program} \ {\tt Results}.
```

e041bc example 1: no option setting.

Parame	ters t	o e041bc						
Number	of va	ariables	4					
optim_tol. 1.05e-07 step_max. 1.00e+05 print_level. Nag_Soln_Iter deriv_check. TRUE outfile. stdout				linesearch_tol 9.00e-01 max_iter 200 machine precision 1.11e-16				
Memory allocation: state				hesd Nag				
Result	s from	e041bc:						
Iterat	ion re	esults:						
Itn	Nfun	Objective	Norm g	Norm x	Norm step	Step	CondH P	osDef
0	4		1.4e+02	3.3e+00			3.8e+00	Yes
1	5	1.6306e+02	3.2e+02	3.2e+00	7.9e-01	1.0e+00	9.5e+00	Yes
2	6	3.4386e+01	9.5e+01	2.6e+00	6.7e-01	1.0e+00	4.3e+00	Yes
	7	8.8929e+00	2.8e+01	2.2e+00	4.5e-01	1.0e+00	4.2e+00	Yes
4	8		8.4e+00	1.9e+00	3.0e-01	1.0e+00		Yes
5	9		2.6e+00	1.8e+00	2.0e-01	1.0e+00	9.6e+00	Yes
6	10		8.5e-01	1.6e+00	1.5e-01	1.0e+00	1.9e+01	Yes
7	11	2.4702e+00	3.6e-01	1.6e+00	1.2e-01	1.0e+00		Yes
8	12	2.4338e+00	2.0e-04			5.3e-01	4.4e+00	Yes
9	13	2.4338e+00	1.3e-09	1.5e+00	3.6e-06	1.0e+00	4.4e+00	Yes
Final	soluti	ion:						
10	14	2.4338e+00	1.3e-09	1.5e+00	2.4e-11	1.0e+00	4.4e+00	Yes
Variable		x	g		Status			
1		1.0000e+00			Lower Bound			
2		-8.5233e-02	-5.8675e-10		Free			

7. Optional Parameters

4.0930e-01

1.0000e+00

3

A number of optional input and output parameters to nag_opt_bounds_2nd_deriv are available through the structure argument **options**, type Nag_E04_Opt. A parameter may be selected by assigning an appropriate value to the relevant structure member; those parameters not selected will be assigned default values. If no use is to be made of any of the optional parameters the user should use the NAG defined null pointer, E04_DEFAULT, in place of **options** when calling nag_opt_bounds_2nd_deriv; the default settings will then be used for all parameters.

Free

Lower Bound

1.1735e-09

5.9070e+00

Before assigning values to **options** directly the structure **must** be initialized by a call to the function nag_opt_init (e04xxc). Values may then be assigned to the structure members in the normal C manner.

Option settings may also be read from a text file using the function nag_opt_read (e04xyc) in which case initialization of the **options** structure will be performed automatically if not already done. Any subsequent direct assignment to the **options** structure must **not** be preceded by initialization.

If assignment of functions and memory to pointers in the options structure is required, then this

must be done directly in the calling program; they cannot be assigned using using nag_opt_read (e04xyc).

7.1. Optional Parameter Checklist and Default Values

For easy reference, the following list shows the members of **options** which are valid for nag_opt_bounds_2nd_deriv together with their default values where relevant. The number ϵ is a generic notation for **machine precision** (see nag_machine_precision (X02AJC)).

Boolean list Nag_Soln_Iter Nag_PrintType print_level char outfile[80] stdout void (*print_fun)() NULL Boolean deriv_check **TRUE** $50\mathbf{n}$ Integer max_iter $10\sqrt{\epsilon}$ double optim_tol $0.9 (0.0 \text{ if } \mathbf{n} = 1)$ double linesearch_tol double step_max 100000.0 Integer *state size n double *hesl size $\max(\mathbf{n}(\mathbf{n}-1)/2, 1)$ double *hesd Integer iter Integer nf

7.2. Description of Optional Parameters

list - Boolean Default = TRUE

Input: if **options.list** = **TRUE** the parameter settings in the call to nag_opt_bounds_2nd_deriv will be printed.

print_level - Nag_PrintType

 $Default = Nag_Soln_Iter$

Input: the level of results printout produced by nag_opt_bounds_2nd_deriv. The following values are available.

Nag_NoPrint No output.

Nag_Soln The final solution.

Nag_Iter One line of output for each iteration.

Nag_Soln_Iter The final solution and one line of output for each iteration.

Nag_Soln_Iter_Full The final solution and detailed printout at each iteration.

Details of each level of results printout are described in Section 7.3.

 $\label{lem:constraint:options.print_level} \textbf{Constraint: options.print_level} = \textbf{Nag_NoPrint}, \ \ \textbf{Nag_Soln_Iter}, \ \ \textbf{Nag_So$

outfile - char[80] Default = stdout

print_fun - pointer to function

Default = NULL

Input: printing function defined by the user; the prototype of print_fun is
void (*print_fun)(const Nag_Search_State *st, Nag_Comm *comm);

See Section 7.3.1 below for further details.

 $deriv_check - Boolean$ Default = TRUE

Input: if **options.deriv_check** = **TRUE** a check of the derivatives defined by **objfun** and **hessfun** will be made at the starting point \mathbf{x} . The derivative check is carried out by calls to nag_opt_check_deriv (e04hcc) and nag_opt_check_2nd_deriv (e04hdc). A starting point of x=0 or x=1 should be avoided if this test is to be meaningful, if either of these starting points is necessary then nag_opt_check_deriv (e04hcc) should be used to check **objfun**, and nag_opt_check_2nd_deriv (e04hdc) used to check **hessfun**, at a different point prior to calling nag_opt_bounds_2nd_deriv.

3.e04lbc.10 [NP3275/5/pdf]

max.iter - Integer Default = 50n

Input: the limit on the number of iterations allowed before termination.

Constraint: **options.max_iter** ≥ 0 .

optim_tol – double Default = $10\sqrt{\epsilon}$

Input: the accuracy in x to which the solution is required.

If x_{true} is the true value of x at the minimum, then x_{sol} , the estimated position prior to a normal exit, is such that

$$||x_{\text{sol}} - x_{\text{true}}|| < \text{optim_tol} \times (1.0 + ||x_{\text{true}}||),$$

where
$$||y|| = \sqrt{\sum_{j=1}^{n} y_j^2}$$
. For example, if the elements of x_{sol} are not much larger than 1.0 in

modulus and if **optim_tol** is set to 10^{-5} , then x_{sol} is usually accurate to about 5 decimal places. (For further details see Section 9.3.)

If the problem is scaled roughly as described in Section 9.2 and ϵ is the **machine precision**, then $\sqrt{\epsilon}$ is probably the smallest reasonable choice for **optim_tol**. (This is because, normally, to machine accuracy, $F(x+\sqrt{\epsilon}e_j)=F(x)$ where e_j is any column of the identity matrix.) Constraint: $\epsilon \leq \text{options.optim_tol} < 1.0$.

$linesearch_tol - double$

Default = 0.9 if $\mathbf{n} > 1$, and 0.0 otherwise

Input: every iteration of nag_opt_bounds_2nd_deriv involves a linear minimization (i.e., minimization of $F(x + \alpha p)$ with respect to α). **linesearch_tol** specifies how accurately these linear minimizations are to be performed. The minimum with respect to α will be located more accurately for small values of **linesearch_tol** (say 0.01) than for large values (say 0.9).

Although accurate linear minimizations will generally reduce the number of iterations performed by nag_opt_bounds_2nd_deriv, they will increase the number of function evaluations required for each iteration. On balance, it is usually more efficient to perform a low accuracy linear minimization.

A smaller value such as 0.01 may be worthwhile:

- (a) if **objfun** takes so little computer time that it is worth using extra calls of **objfun** to reduce the number of iterations and associated matrix calculations
- (b) if calls to **hessfun** are expensive compared with calls to **objfun**.
- (c) if F(x) is a penalty or barrier function arising from a constrained minimization problem (since such problems are very difficult to solve).

If $\mathbf{n} = 1$, the default for **linesearch_tol** = 0.0 (if the problem is effectively 1-dimensional then **linesearch_tol** should be set to 0.0 by the user even though $\mathbf{n} > 1$; i.e., if for all except one of the variables the lower and upper bounds are equal).

Constraint: $0.0 \le \text{options.linesearch_tol} < 1.0$.

 $step_max - double Default = 100000.0$

Input: an estimate of the Euclidean distance between the solution and the starting point supplied by the user. (For maximum efficiency a slight overestimate is preferable.) nag_opt_bounds_2nd_deriv will ensure that, for each iteration,

$$\sqrt{\sum_{j=1}^n \ \left[x_j^{(k)} - x_j^{(k-1)} \right]^2} \leq \mathbf{step_max},$$

where k is the iteration number. Thus, if the problem has more than one solution, nag_opt_bounds_2nd_deriv is most likely to find the one nearest the starting point. On difficult problems, a realistic choice can prevent the sequence of $x^{(k)}$ entering a region where the problem is ill-behaved and can also help to avoid possible overflow in the evaluation of F(x). However, an underestimate of **step_max** can lead to inefficiency.

Constraint: options.step_max \geq options.optim_tol.

state - Integer * Default memory = n

Output: state contains information about which variables are on their bounds and which are free at the final point given in \mathbf{x} . If x_j is:

- (a) fixed on its upper bound, state[j-1] is -1;
- (b) fixed on its lower bound, state[j-1] is -2;
- (c) effectively a constant (i.e., $l_j = u_j$), state[j 1] is -3;
- (d) free, state[j-1] gives its position in the sequence of free variables.

```
\begin{array}{ll} hesl - \mathrm{double} \ ^* & \mathrm{Default\ memory} = max(n(n-1)/2, 1) \\ hesd - \mathrm{double} \ ^* & \mathrm{Default\ memory} = \ n \end{array}
```

Output: during the determination of a direction p_z (see Section 3), H+E is decomposed into the product LDL^T , where L is a unit lower triangular matrix and D is a diagonal matrix. (The matrices H, E, L and D are all of dimension n_z , where n_z is the number of variables free from their bounds. H consists of those rows and columns of the full second derivative matrix which relate to free variables. E is chosen so that H+E is positive-definite.)

hesl and **hesd** are used to store the factors L and D. The elements of the strict lower triangle of L are stored row by row in the first $n_z(n_z-1)/2$ positions of **hesl**. The diagonal elements of D are stored in the first n_z positions of **hesd**.

In the last factorization before a normal exit, the matrix E will be zero, so that **hesl** and **hesd** will contain, on exit, the factors of the final second derivative matrix H. The elements of **hesd** are useful for deciding whether to accept the result produced by nag_opt_bounds_2nd_deriv (see Section 9).

iter – Integer

Output: the number of iterations which have been performed in nag_opt_bounds_2nd_deriv.

 \mathbf{nf} – Integer

Output: the number of times the residuals have been evaluated (i.e., number of calls of **objfun**).

7.3. Description of Printed Output

The level of printed output can be controlled by the user with the structure members **options.list** and **options.print_level** (see Section 7.2). If **list** = **TRUE** then the parameter values to nag_opt_bounds_2nd_deriv are listed, whereas the printout of results is governed by the value of **print_level**. The default of **print_level** = **Nag_Soln_Iter** provides a single line of output at each iteration and the final result. This section describes all of the possible levels of results printout available from nag_opt_bounds_2nd_deriv.

When **print_level** = **Nag_Iter** or **Nag_Soln_Iter** the following line of output is produced on completion of each iteration.

Itn the iteration count, k.

Nfun the cumulative number of calls made to **objfun**.

Objective the value of the objective function, $F(x^{(k)})$

Norm g the Euclidean norm of the projected gradient vector, $||g_z(x^{(k)})||$.

Norm x the Euclidean norm of $x^{(k)}$.

Norm(x(k-1)-x(k)) the Euclidean norm of $x^{(k-1)} - x^{(k)}$.

Step the step $\alpha^{(k)}$ taken along the computed search direction $p^{(k)}$.

Cond H the ratio of the largest to the smallest element of the diagonal factor D of

the projected Hessian matrix. This quantity is usually a good estimate of the condition number of the projected Hessian matrix. (If no variables are

currently free, this value will be zero.)

PosDef indicates whether the second derivative matrix H for the current subspace

is positive definite (Yes) or not (No).

3.e04lbc. 12 [NP3275/5/pdf]

When **options.print_level** = **Nag_Soln_Iter_Full** more detailed results are given at each iteration. Additional values output are

x the current point $x^{(k)}$.

g the current projected gradient vector, $g_z(x^{(k)})$.

Status the current state of the variable with respect to its bound(s).

If **print_level** = **Nag_Soln** or **Nag_Soln_Iter** or **Nag_Soln_Iter_Full** the final result is printed out. This consists of:

x the final point, x^* .

g the final projected gradient vector, $g_z(x^*)$.

Status the final state of the variable with respect to its bound(s).

If **print_level** = **Nag_NoPrint** then printout will be suppressed; the user can print the final solution when nag_opt_bounds_2nd_deriv returns to the calling program.

7.3.1. Output of Results via a User-defined Printing Function

Users may also specify their own print function for output of iteration results and the final solution by use of the **options.print_fun** function pointer, which has prototype

```
void (*print_fun)(const Nag_Search_State *st, Nag_Comm *comm);
```

The rest of this section can be skipped if the default printing facilities provide the required functionality.

When a user-defined function is assigned to **options.print_fun** this will be called in preference to the internal print function of nag_opt_bounds_2nd_deriv. Calls to the user-defined function are again controlled by means of the **options.print_level** member. Information is provided through **st** and **comm**, the two structure arguments to **print_fun**.

If **comm->it_prt** = **TRUE** then the results on completion of an iteration of nag_opt_bounds_2nd_deriv are contained in the members of **st**. If **comm->sol_prt** = **TRUE** then the final results from nag_opt_bounds_2nd_deriv, including details of the final iteration, are contained in the members of **st**. In both cases, the same members of **st** are set, as follows:

```
iter – Integer
```

the current iteration count, k, if **comm->it_prt** = **TRUE**; the final iteration count, k, if **comm->sol_prt** = **TRUE**.

n – Integer

the number of variables.

x – double *

the co-ordinates of the point $x^{(k)}$.

 \mathbf{f} – double

the value of the objective function at $x^{(k)}$.

g - double *

the value of $\partial F/\partial x_j$ at $x^{(k)}$, $j=1,2,\ldots,n$.

 $\mathbf{gpj_norm} - double$

the Euclidean norm of the projected gradient g_z at $x^{(k)}$.

step – double

the step $\alpha^{(k)}$ taken along the search direction $p^{(k)}$.

cond – double

the estimate of the condition number of the projected Hessian matrix, see Section 7.3.

xk_norm

the Euclidean norm of $x^{(k-1)} - x^{(k)}$.

state - Integer *

the status of variables x_j , j = 1, 2, ..., n, with respect to their bounds. See Section 7.2 for a description of the possible status values.

posdef - Boolean

will be **TRUE** if the second derivative matrix for the current subspace, H, is positive-definite, and **FALSE** otherwise.

nf - Integer

the cumulative number of calls made to **objfun**.

The relevant members of the structure **comm** are:

it_prt - Boolean

will be **TRUE** when the print function is called with the results of the current iteration.

sol_prt - Boolean

will be **TRUE** when the print function is called with the final result.

```
user - double *
```

iuser - Integer *

p – Pointer

pointers for communication of user information. If used they must be allocated memory by the user either before entry to nag_opt_bounds_2nd_deriv or during a call to **objfun** or **print_fun**. The type Pointer will be void * with a C compiler that defines void * and char * otherwise.

8. Error Indications and Warnings

NE_USER_STOP

User requested termination, user flag value = $\langle value \rangle$.

This exit occurs if the user sets **comm->flag** to a negative value in **objfun** or **hessfun**. If **fail** is supplied, the value of **fail.errnum** will be the same as the user's setting of **comm->flag**.

NE_INT_ARG_LT

On entry, **n** must not be less than 1: $\mathbf{n} = \langle value \rangle$.

NE_BOUND

The lower bound for variable $\langle value \rangle$ (array element $\mathbf{bl}[\langle value \rangle]$) is greater than the upper bound

NE_DERIV_ERRORS

Large errors were found in the derivatives of the objective function.

NE_OPT_NOT_INIT

Options structure not initialized.

NE_BAD_PARAM

On entry, parameter **bound** had an illegal value.

On entry, parameter **options.print_level** had an illegal value.

NE_2_REAL_ARG_LT

On entry, **options.step_max** = $\langle value \rangle$ while **options.optim_tol** = $\langle value \rangle$. These parameters must satisfy **step_max** \geq **optim_tol**.

NE_INVALID_INT_RANGE_1

Value \(\text{value} \) given to **options.max_iter** is not valid.

Correct range is $\max_{\mathbf{i}} \mathbf{ter} \geq 0$.

NE_INVALID_REAL_RANGE_EF

Value $\langle value \rangle$ given to **options.optim_tol** is not valid.

Correct range is $\epsilon \leq \text{optim_tol} < 1.0$.

NE_INVALID_REAL_RANGE_FF

Value \(\text{value} \) given to **options.linesearch_tol** is not valid.

Correct range is $0.0 \le linesearch_tol < 1.0$.

3.e04lbc. 14 [NP3275/5/pdf]

NE_ALLOC_FAIL

Memory allocation failed.

When one of the above exits occurs, no values will have been assigned by nag_opt_bounds_2nd_deriv to **objf** or to the elements of **g**, **options.state**, **options.hesd**.

NW_TOO_MANY_ITER

The maximum number of iterations, (value), have been performed.

If steady reductions in F(x), were monitored up to the point where this exit occurred, then the exit probably occurred simply because **options.max_iter** was set too small, so the calculations should be restarted from the final point held in \mathbf{x} . This exit may also indicate that F(x) has no minimum.

NW_COND_MIN

The conditions for a minimum have not all been satisfied, but a lower point could not be found.

Provided that, on exit, the first derivatives of F(x) with respect to the free variables are sufficiently small, and that the estimated condition number of the second derivative matrix is not too large, this error exit may simply mean that, although it has not been possible to satisfy the specified requirements, the algorithm has in fact found the minimum as far as the accuracy of the machine permits. This could be because **options.optim_tol** has been set so small that rounding error in **objfun** makes attainment of the convergence conditions impossible.

If the estimated condition number of the second derivative matrix at the final point is large, it could be that the final point is a minimum but that the smallest eigenvalue of the second derivative matrix is so close to zero that it is not possible to recognize the point as a minimum.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

NW_LAGRANGE_MULT_ZERO

All the Lagrange-multiplier estimates which are not indisputably positive lie close to zero.

However, it is impossible either to continue minimizing on the current subspace or to find a feasible lower point by releasing and perturbing any of the fixed variables. The user should investigate as for NW_COND_MIN.

NE_NOT_APPEND_FILE

Cannot open file $\langle string \rangle$ for appending.

NE_WRITE_ERROR

Error occurred when writing to file $\langle string \rangle$.

NE_NOT_CLOSE_FILE

Cannot close file $\langle string \rangle$.

An exit of fail.code = NW_TOO_MANY_ITER, NW_LAGRANGE_MULT_ZERO or NW_COND_MIN may also be caused by mistakes in objfun, by the formulation of the problem or by an awkward function. If there are no such mistakes, it is worth restarting the calculations from a different starting point (not the point at which the failure occurred) in order to avoid the region which caused the failure.

9. Further Comments

9.1. Timing

The number of iterations required depends on the number of variables, the behaviour of F(x), the accuracy demanded and the distance of the starting point from the solution. The number of multiplications performed in an iteration of nag_opt_bounds_2nd_deriv is $n_z^3/6 + O(n_z^2)$. In addition, each iteration makes one call of **hessfun** and at least one call of **objfun**. So, unless F(x) and its

derivatives can be evaluated very quickly, the run time will be dominated by the time spent in **objfun**.

9.2. Scaling

Ideally, the problem should be scaled so that, at the solution, F(x) and the corresponding values of the x_j are each in the range (-1,+1), and so that at points one unit away from the solution, F(x) differs from its value at the solution by approximately one unit. This will usually imply that the Hessian matrix at the solution is well conditioned. It is unlikely that the user will be able to follow these recommendations very closely, but it is worth trying (by guesswork), as sensible scaling will reduce the difficulty of the minimization problem, so that nag_opt_bounds_2nd_deriv will take less computer time.

9.3. Accuracy

A successful exit (**fail.code** = **NE_NOERROR**) is made from nag_opt_bounds_2nd_deriv when $H^{(k)}$ is positive-definite and when (B1, B2 and B3) or B4 hold, where

$$\begin{split} & \text{B1} \equiv \alpha^{(k)} \times \|p^{(k)}\| < (\textbf{optim_tol} + \sqrt{\epsilon}) \times (1.0 + \|x^{(k)}\|) \\ & \text{B2} \equiv |F^{(k)} - F^{(k-1)}| < (\textbf{optim_tol}^2 + \epsilon) \times (1.0 + |F^{(k)}|) \\ & \text{B3} \equiv \|g_z^{(k)}\| < (\epsilon^{1/3} + \textbf{optim_tol}) \times (1.0 + |F^{(k)}|) \\ & \text{B4} \equiv \|g_z^{(k)}\| < 0.01 \times \sqrt{\epsilon}. \end{split}$$

(Quantities with superscript k are the values at the kth iteration of the quantities mentioned in Section 3; ϵ is the **machine precision**, $\|.\|$ denotes the Euclidean norm and **optim_tol** is described in Section 7.)

If **fail.code** = **NE_NOERROR**, then the vector in **x** on exit, x_{sol} , is almost certainly an estimate of the position of the minimum, x_{true} , to the accuracy specified by **optim_tol**.

If **fail.code** = **NW_COND_MIN** or **NW_LAGRANGE_MULT_ZERO**, $x_{\rm sol}$ may still be a good estimate of $x_{\rm true}$, but the following checks should be made. Let the largest of the first n_z elements of the optional parameter **hesd** be **hesd**[b], let the smallest be **hesd**[s], and define $\kappa = \mathbf{hesd}[b] / \mathbf{hesd}[s]$. The scalar κ is usually a good estimate of the condition number of the projected Hessian matrix at $x_{\rm sol}$. If

- (a) the sequence $\{F(x^{(k)})\}$ converges to $F(x_{\rm sol})$ at a superlinear or fast linear rate,
- (b) $||g_z(x_{sol})||^2 < 10.0 \times \epsilon$, and
- (c) $\kappa < 1.0/||g_z(x_{\text{sol}})||$,

then it is almost certain that $x_{\rm sol}$ is a close approximation to the position of a minimum. When (b) is true, then usually $F(x_{\rm sol})$ is a close approximation to $F(x_{\rm true})$. The quantities needed for these checks are all available in the results printout from nag_opt_bounds_2nd_deriv; in particular the final value of Cond H gives κ .

Further suggestions about confirmation of a computed solution are given in the Chapter Introduction.

9.4. Unconstrained Minimization

If a problem is genuinely unconstrained and has been scaled sensibly, the following points apply:

- (a) n_z will always be n,
- (b) the optional parameters **hesl** and **hesd** will be factors of the full approximate second derivative matrix with elements stored in the natural order,
- (c) the elements of **g** should all be close to zero at the final point,
- (d) the Status values given in the print out from nag_opt_bounds_2nd_deriv, and in the optional parameter state on exit are unlikely to be of interest (unless they are negative, which would indicate that the modulus of one of the x_i has reached 10^{10} for some reason),
- (e) Norm g simply gives the norm of the first derivative vector.

3.e04lbc. 16 [NP3275/5/pdf]

10. References

Gill P E and Murray W (1974) Safeguarded steplength algorithms for optimization using descent methods *National Physical Laboratory Report NAC 37*.

Gill P E and Murray W (1974) Newton-type methods for unconstrained and linearly constrained optimization *Mathematical Programming* **7** 311–350.

Gill P E and Murray W (1976) Minimization subject to bounds on the variables *National Physical Laboratory Report NAC 72*.

11. See Also

```
nag_opt_bounds_no_deriv (e04jbc)
nag_opt_bounds_deriv (e04kbc)
nag_opt_init (e04xxc)
nag_opt_read (e04xyc)
nag_opt_free (e04xzc)
```

12. Example 2

Example 2 solves the same problem as Example 1 but shows the use of certain optional parameters. The **options** structure is declared and four option values are read from a data file by use of nag_opt_read (e04xyc). The memory freeing function nag_opt_free (e04xzc) is used to free the memory assigned to the pointers in the option structure. Users should **not** use the standard C function free() for this purpose.

12.1. Program Text

```
static void ex2(void)
#else
static void ex2()
#endif
 double x[NMAX];
 double bl[NMAX], bu[NMAX], g[NMAX];
 double f;
 Integer n = NMAX;
 Nag_Comm comm;
 Nag_E04_Opt options;
 static NagError fail, fail2;
 Boolean print;
 /* Function Body */
 fail.print = TRUE;
 Vprintf("\n\ne04lbc example 2: using option setting.\n");
 x[0] = 1.46;
 x[1] = -.82;
 x[2] = .57;
 x[3] = 1.21;
 b1[0] = 1.0;
 bu[0] = 3.0;
 bl[1] = -2.0;
 bu[1] = 0.0;
  /* x[2] is not bounded, so we set bl[2] to a large negative
    number and bu[2] to a large positive number
 b1[2] = -1e6;
 bu[2] = 1e6;
 b1[3] = 1.0;
 bu[3] = 3.0;
 /* Set up starting point */
```

```
x[0] = 3.0;
x[1] = -1.0;
      x[2] = 0.0;
      x[3] = 1.0;
      print = TRUE;
      e04xyc("e04lbc", "stdin", &options, print, "stdout", &fail);
      e041bc(n, funct, hess, Nag_Bounds, bl, bu, x, &f, g,
            &options, &comm, &fail);
      /* Free memory allocated by e04kbc to pointers hesd, hesl and state */ fail2.print = TRUE;
      e04xzc(&options, "all", &fail2);
if (fail.code != NE_NOERROR && fail.code != NW_COND_MIN ||
         fail2.code != NE_NOERROR) exit(EXIT_FAILURE);
    } /* ex2 */
12.2. Program Data
    e041bc Example Program Data
    begin e041bc
     12.3. Program Results
    Optional parameter setting for e04lbc.
    Option file: stdin
    print_level set to Nag_Soln
    Parameters to e041bc
    Number of variables..... 4
    optim_tol..... 1.05e-07
                                      linesearch_tol..... 9.00e-01
    step_max..... 1.00e+05
                                     max_iter....
    print_level..... Nag_Soln
                                      machine precision..... 1.11e-16
    deriv_check.....
                              TRUE.
    outfile..... stdout
    Memory allocation:
    state.....
                               Nag
    hesl.....
                               Nag
                                     hesd.....
                                                                 Nag
    Final solution:
      Itn Nfun Objective Norm g Norm x Norm step Step
                                                                CondH PosDef
      10 14 2.4338e+00 1.3e-09 1.5e+00 2.4e-11 1.0e+00 4.4e+00 Yes
     Variable
                                             Status
               1.0000e+00
                              2.9535e-01
                                             Lower Bound
       1
               -8.5233e-02
4.0930e-01
                               -5.8675e-10
                                           Free
                               1.1735e-09
       3
                                             Free
       4
                1.0000e+00
                                5.9070e+00
                                             Lower Bound
```

3.e04lbc.18 [NP3275/5/pdf]