

NAG C Library Function Document

nag_normal_scores_var (g01dcc)

1 Purpose

nag_normal_scores_var (g01dcc) computes an approximation to the variance-covariance matrix of an ordered set of independent observations from a Normal distribution with mean 0.0 and standard deviation 1.0.

2 Specification

```
void nag_normal_scores_var (Integer n, double exp1, double exp2, double sumssq,
    double vec[], NagError *fail)
```

3 Description

nag_normal_scores_var (g01dcc) is an adaptation of the Applied Statistics Algorithm AS 128, see Davis and Stephens (1978). An approximation to the variance-covariance matrix, V , using a Taylor series expansion of the Normal distribution function is discussed in David and Johnson (1954).

However, convergence is slow for extreme variances and covariances. The present function uses the David–Johnson approximation to provide an initial approximation and improves upon it by use of the following identities for the matrix.

For a sample of size n , let m_i be the expected value of the i th largest order statistic, then:

- (a) for any $i = 1, 2, \dots, n$, $\sum_{j=1}^n V_{ij} = 1$
- (b) $V_{12} = V_{11} + m_n^2 - m_n m_{n-1} - 1$
- (c) the trace of V is $tr(V) = n - \sum_{i=1}^n m_i^2$
- (d) $V_{ij} = V_{ji} = V_{rs} = V_{sr}$ where $r = n + 1 - i$, $s = n + 1 - j$ and $i, j = 1, 2, \dots, n$. Note that only the upper triangle of the matrix is calculated and returned column-wise in vector form.

4 References

Davis C S and Stephens M A (1978) Algorithm AS 128: Approximating the covariance matrix of Normal order statistics *Appl. Statist.* **27** 206–212

David F N and Johnson N L (1954) Statistical treatment of censored data, Part 1. Fundamental formulae *Biometrika* **41** 228–240

5 Parameters

- 1: **n** – Integer *Input*
On entry: the sample size, n .
Constraint: $n \geq 1$.
- 2: **exp1** – double *Input*
On entry: the expected value of the largest Normal order statistic, m_n , from a sample of size n .
- 3: **exp2** – double *Input*
On entry: the expected value of the second largest Normal order statistic, m_{n-1} , from a sample of size n .

- 4: **sumssq** – double *Input*
On entry: the sum of squares of the expected values of the Normal order statistics from a sample of size n .
- 5: **vec**[*dim*] – double *Output*
Note: the dimension, *dim*, of the array **vec** must be at least $n \times (n + 1)/2$.
On exit: the upper triangle of the n by n variance-covariance matrix packed by column. Thus element V_{ij} is stored in **vec**[$i + j \times (j - 1)/2 - 1$], for $1 \leq i \leq j \leq n$.
- 6: **fail** – NagError * *Input/Output*
The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_INT

On entry, **n** = $\langle value \rangle$.
Constraint: **n** ≥ 1 .

NE_BAD_PARAM

On entry, parameter $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

For $n \leq 20$, where comparison with the exact values can be made, the maximum error is less than 0.0001.

8 Further Comments

The time taken by `nag_normal_scores_var` (g01dcc) is approximately proportional to n^2 .

The arguments **exp1** ($= m_n$), **exp2** ($= m_{n-1}$) and **sumssq** ($= \sum_{j=1}^n m_j^2$) may be found from the expected values of the Normal order statistics obtained from `nag_normal_scores_exact` (g01dac).

9 Example

A program to compute the variance-covariance matrix for a sample of size 6. `nag_normal_scores_exact` (g01dac) is called to provide values for **exp1**, **exp2** and **sumssq**.

9.1 Program Text

```
/* nag_normal_scores_var (g01dcc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg01.h>

int main(void)
```

```

{
/* Scalars */
double errest, etol, exp1, exp2, sumssq;
Integer exit_status, i, ifail, j, k, n, vec_elem;
NagError fail;

/* Arrays */
double *pp=0, *vec=0;

Vprintf("g01dcc Example Program Results\n");
INIT_FAIL(fail);
etol = 1e-4;
exit_status = 0;
n = 6;

/* Allocate memory */
if ( !(pp = NAG_ALLOC(n, double)) ||
    !(vec = NAG_ALLOC(n*(n+1)/2, double)) )
{
    Vprintf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

g01dac(n, pp, etol, &errest, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from g01dac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

exp1 = pp[5];
exp2 = pp[4];
sumssq = 0.0;
for (i = 1; i <= 6; ++i)
    sumssq += pp[i - 1] * pp[i - 1];
ifail = 0;

g01dcc(n, exp1, exp2, sumssq, vec, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from g01dcc.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

Vprintf("\nSample size = %2ld\n\n", n);
Vprintf("Variance-covariance matrix\n");
k = 1;
for (j = 1; j <= n; ++j)
{
    vec_elem = 1;
    for (i = k; i <= k + j - 1; ++i)
    {
        Vprintf("%8.4f%s", vec[i - 1], vec_elem%6 == 0 ? "\n": " ");
        vec_elem++;
    }
    Vprintf("\n");
    k += j;
}
END:
if (pp) NAG_FREE(pp);
if (vec) NAG_FREE(vec);

return exit_status;
}

```

9.2 Program Data

None.

9.3 Program Results

g01dcc Example Program Results

Sample size = 6

Variance-covariance matrix

0.4159					
0.2085	0.2796				
0.1394	0.1889	0.2462			
0.1025	0.1397	0.1834	0.2462		
0.0774	0.1060	0.1397	0.1889	0.2796	
0.0563	0.0774	0.1025	0.1394	0.2085	0.4159
