

NAG C Library Function Document

nag_tsa_multi_part_lag_corr (g13dnc)

1 Purpose

nag_tsa_multi_part_lag_corr (g13dnc) calculates the sample partial lag correlation matrices of a multivariate time series. A set of χ^2 -statistics and their significance levels are also returned. A call to nag_tsa_multi_cross_corr (g13dmc) is usually made prior to calling this routine in order to calculate the sample cross-correlation matrices.

2 Specification

```
void nag_tsa_multi_part_lag_corr (Integer k, Integer n, Integer m,
    const double r0[], const double r[], Integer *maxlag, double parlag[],
    double x[], double pvalue[], NagError *fail)
```

3 Description

Let $W_t = (w_{1t}, w_{2t}, \dots, w_{kt})^T$, for $t = 1, 2, \dots, n$, denote n observations of a vector of k time series. The partial lag correlation matrix at lag l , $P(l)$, is defined to be the correlation matrix between W_t and W_{t+l} , after removing the linear dependence on each of the intervening vectors $W_{t+1}, W_{t+2}, \dots, W_{t+l-1}$. It is the correlation matrix between the residual vectors resulting from the regression of W_{t+l} on the carriers $W_{t+l-1}, \dots, W_{t+1}$ and the regression of W_t on the same set of carriers; see Heyse and Wei (1985).

$P(l)$ has the following properties.

- (i) If W_t follows a vector autoregressive model of order p , then $P(l) = 0$ for $l > p$;
- (ii) When $k = 1$, $P(l)$ reduces to the univariate partial autocorrelation at lag l ;
- (iii) Each element of $P(l)$ is a properly normalized correlation coefficient;
- (iv) When $l = 1$, $P(l)$ is equal to the cross-correlation matrix at lag 1 (a natural property which also holds for the univariate partial autocorrelation function).

Sample estimates of the partial lag correlation matrices may be obtained using the recursive algorithm described in Wei (1990). They are calculated up to lag m , which is usually taken to be at most $n/4$. Only the sample cross-correlation matrices ($\hat{R}(l)$, $l = 0, 1, \dots, m$) and the standard deviations of the series are required as input to nag_tsa_multi_part_lag_corr (g13dnc). These may be computed by nag_tsa_multi_cross_corr (g13dmc). Under the hypothesis that W_t follows an autoregressive model of order $s - 1$, the elements of the sample partial lag matrix $\hat{P}(s)$, denoted by $\hat{P}_{ij}(s)$, are asymptotically Normally distributed with mean zero and variance $1/n$. In addition the statistic

$$X(s) = n \sum_{i=1}^k \sum_{j=1}^k \hat{P}_{ij}(s)^2$$

has an asymptotic χ^2 -distribution with k^2 degrees of freedom. These quantities, $X(l)$, are useful as a diagnostic aid for determining whether the series follows an autoregressive model and, if so, of what order.

4 References

Heyse J F and Wei W W S (1985) The partial lag autocorrelation function *Technical Report No. 32* Department of Statistics, Temple University, Philadelphia

Wei W W S (1990) *Time Series Analysis: Univariate and Multivariate Methods* Addison–Wesley

5 Parameters

- 1: **k** – Integer *Input*
On entry: the dimension, k , of the multivariate time series.
Constraint: $k \geq 1$.

- 2: **n** – Integer *Input*
On entry: the number of observations in each series, n .
Constraint: $n \geq 2$.

- 3: **m** – Integer *Input*
On entry: the number, m , of partial lag correlation matrices to be computed. Note this also specifies the number of sample cross-correlation matrices that must be contained in the array **r**.
Constraint: $1 \leq m < n$.

- 4: **r0**[*dim*] – const double *Input*
Note: the dimension, *dim*, of the array **r0** must be at least $k \times k$.
On entry: the sample cross-correlations at lag zero/standard deviations as provided by nag_tsa_multi_cross_corr (g13dmc), that is, **r0**[($j-1$) $k+i-1$] must contain the (i, j)th element of the sample cross-correlation matrix at lag zero if $i \neq j$ and the standard deviation of $i = j$, for $i = 1, 2, \dots, k$; $j = 1, 2, \dots, k$.

- 5: **r**[*dim*] – const double *Input*
Note: the dimension, *dim*, of the array **r** must be at least $k \times k \times m$.
On entry: the sample cross-correlations as provided by nag_tsa_multi_cross_corr (g13dmc), that is, **r**[($l-1$) $k^2 + (j-1)k + i - 1$] must contain the (i, j)th element of the sample cross-correlation at lag l , for $l = 1, 2, \dots, m$; $i = 1, 2, \dots, k$; $j = 1, 2, \dots, k$, where series j leads series i .

- 6: **maxlag** – Integer * *Output*
On exit: the maximum lag up to which partial lag correlation matrices (along with χ^2 -statistics and their significance levels) have been successfully computed. On a successful exit **maxlag** will equal **m**. If **fail.code** = **MATRIX_ILL_CONDITIONED** on exit, then **maxlag** will be less than **m**.

- 7: **parlag**[*dim*] – double *Output*
Note: the dimension, *dim*, of the array **parlag** must be at least $k \times k \times m$.
On exit: **parlag**[($l-1$) $k^2 + (j-1)k + i - 1$] contains the (i, j)th element of the sample partial lag correlation matrix at lag l , for $l = 1, 2, \dots, \mathbf{maxlag}$; $i = 1, 2, \dots, k$; $j = 1, 2, \dots, k$.

- 8: **x**[**m**] – double *Output*
On exit: **x**[$l-1$] contains the χ^2 -statistic at lag l , for $l = 1, 2, \dots, \mathbf{maxlag}$.

- 9: **pvalue**[**m**] – double *Output*
On exit: **pvalue**[$l-1$] contains the significance level of the corresponding χ^2 -statistic in **x** for $l = 1, 2, \dots, \mathbf{maxlag}$.

- 10: **fail** – NagError * *Input/Output*
The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_INT

On entry, **k** = $\langle value \rangle$.

Constraint: **k** ≥ 1 .

On entry, **m** = $\langle value \rangle$.

Constraint: **m** ≥ 1 .

On entry, **n** = $\langle value \rangle$.

Constraint: **n** ≥ 2 .

NE_INT_2

On entry, **m** $\geq$ **n**: **m** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

MATRIX_ILL_CONDITIONED

The recursive equations used to compute the partial lag correlation matrices are ill-conditioned (they have been computed up to lag $\langle value \rangle$).

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

The accuracy will depend upon the accuracy of the sample cross-correlations.

8 Further Comments

The time taken is roughly proportional to $m^2 k^3$.

If the user has calculated the sample cross-correlation matrices in the arrays **r0** and **r**, without calling `nag_tsa_multi_cross_corr` (g13dmc), then care must be taken to ensure they are supplied as described in Section 5. In particular, for $l \geq 1$, $\hat{R}_{ij}(l)$ must contain the sample cross-correlation coefficient between $w_{i(t-l)}$ and w_{jt} .

The routine `nag_tsa_multi_auto_corr_part` (g13dbc) computes squared partial autocorrelations for a specified number of lags. It may also be used to estimate a sequence of partial autoregression matrices at lags 1, 2, ... by making repeated calls to the routine with the parameter **nk** set to 1, 2, ... The (i, j) th element of the sample partial autoregression matrix at lag l is given by $W(i, j, l)$ when **nk** is set equal to l on entry to `nag_tsa_multi_auto_corr_part` (g13dbc). Note that this is the ‘Yule–Walker’ estimate. Unlike the partial lag correlation matrices computed by `nag_tsa_multi_part_lag_corr` (g13dnc), when W_t follows an autoregressive model of order $s - 1$, the elements of the sample partial autoregressive matrix at lag s do not have variance $1/n$, making it very difficult to spot a possible cut-off point. The differences between these matrices are discussed further by Wei (1990).

Note that `nag_tsa_multi_auto_corr_part` (g13dbc) takes the sample cross-covariance matrices as input whereas this routine requires the sample cross-correlation matrices to be input.

9 Example

This program computes the sample partial lag correlation matrices of two time series of length 48, up to lag 10. The matrices, their χ^2 -statistics and significance levels and a plot of symbols indicating which elements of the sample partial lag correlation matrices are significant are printed. Three * represent significance at the 0.5% level, two * represent significance at the 1% level and a single * represents significance at the 5% level. The * are plotted above or below the central line depending on whether the elements are significant in a positive or negative direction.

9.1 Program Text

```
/* nag_tsa_multi_part_lag_corr (g13dnc) Example Program.
 *
 * Copyright 2002 Numerical Algorithms Group.
 *
 * Mark 7, 2002.
 */

#include <stdio.h>
#include <math.h>
#include <string.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg13.h>

static void zprint(Integer, Integer, Integer, Integer,
                  double *, double *, double *);

int main(void)
{
    /* Scalars */
    Integer exit_status, i, j, k, m, maxlag, n, pdw;
    NagError fail;
    Nag_CovOrCorr matrix;

    /* Arrays */
    double *parlag = 0, *pvalue = 0, *r0 = 0, *r = 0, *w = 0,
           *wmean = 0, *x = 0;

#define W(I,J) w[(J-1)*pdw + I - 1]

    INIT_FAIL(fail);
    exit_status = 0;

    Vprintf("g13dnc Example Program Results\n");

    /* Skip heading in data file */
    Vscanf("%*[^\\n] ");

    Vscanf("%ld%ld%ld%*[^\\n] ", &k, &n, &m);

    if (k > 0 && n >= 1 && m >= 1)
    {
        /* Allocate arrays */
        if ( !(parlag = NAG_ALLOC(k * k * m, double)) ||
            !(pvalue = NAG_ALLOC(m, double)) ||
            !(r0 = NAG_ALLOC(k * k, double)) ||
            !(r = NAG_ALLOC(k * k * m, double)) ||
            !(w = NAG_ALLOC(k * n, double)) ||
            !(wmean = NAG_ALLOC(k, double)) ||
            !(x = NAG_ALLOC(m, double)) )
        {
            Vprintf("Allocation failure\n");
            exit_status = -1;
            goto END;
        }

        pdw = k;
    }
}
```

```

    for (i = 1; i <= k; ++i)
    {
        for (j = 1; j <= n; ++j)
            Vscanf("%lf", &W(i,j));
        Vscanf("%*[\n] ");
    }

    matrix = Nag_AutoCorr;

    g13dmc(matrix, k, n, m, w, wmean, r0, r, &fail);
    if (fail.code != NE_NOERROR)
    {
        Vprintf("Error from g13dmc.\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    g13dnc(k, n, m, r0, r, &maxlag, parlag, x, pvalue,
           &fail);
    if (fail.code != NE_NOERROR)
    {
        Vprintf("Error from g13dnc.\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    zprint(k, n, m, k, parlag, x, pvalue);
}

END:
if (parlag) NAG_FREE(parlag);
if (pvalue) NAG_FREE(pvalue);
if (r0) NAG_FREE(r0);
if (r) NAG_FREE(r);
if (w) NAG_FREE(w);
if (wmean) NAG_FREE(wmean);
if (x) NAG_FREE(x);

return exit_status;
}

/* Print the partial lag correlation matrices. */
static void zprint(Integer k, Integer n, Integer m, Integer ik,
                   double *parlag, double *x, double *pvalue)
{
    /* Scalars */
    double c1, c2, c3, c5, c6, c7, cnst, sum;
    Integer i2, i, j, lf, llf, ii, jj;

    /* Arrays */
    char rec[7][80];

#define PARLAG(I,J,K) parlag[((K-1)*ik + (J-1))*ik + I-1]

    cnst = 1.0 / sqrt((double) n);

    Vprintf("\n");
    Vprintf(" PARTIAL LAG CORRELATION MATRICES\n");
    Vprintf(" ----- \n");

    for (lf = 1; lf <= m; ++lf)
    {
        Vprintf("\n");
        Vprintf(" Lag = %2ld\n", lf);
        for (ii = 1; ii <= k; ii++)
        {
            for (jj = 1; jj <= k; jj++)
                Vprintf("%9.3f", PARLAG(ii,jj,lf));
            Vprintf("\n");
        }
    }
}

```

```

Vprintf("\n");
Vprintf(" Standard error = 1 / SQRT(N) = %5.3f\n", cnst);

/* Print indicator symbols to indicate significant elements. */
Vprintf("\n");
Vprintf(" TABLES OF INDICATOR SYMBOLS\n");
Vprintf(" ----- \n");
Vprintf("\n");
Vprintf(" For Lags 1 to %2ld\n", m);
Vprintf("\n");

/* Set up the critical values */
c1 = cnst * 3.29;
c2 = cnst * 2.58;
c3 = cnst * 1.96;
c5 = -c3;
c6 = -c2;
c7 = -c1;

for (i = 1; i <= k; ++i)
{
    for (j = 1; j <= k; ++j)
    {
        Vprintf("\n");
        Vprintf("\n");
        if (i == j)
        {
            Vprintf("Auto-correlation function for series %2ld\n", i);
            Vprintf("\n");
        }
        else
        {
            Vprintf("Cross-correlation function for series %2ld"
                    " and series %2ld\n", i, j);
            Vprintf("\n");
        }

        /* Clear the last plot with blanks */
        sprintf(&rec[0][0], "          0.005  :");
        sprintf(&rec[1][0], "          +   0.01   :");
        sprintf(&rec[2][0], "          0.05   :");
        sprintf(&rec[3][0], "      Sig. Level      : - - - - -");
Lags");
        sprintf(&rec[4][0], "          0.05   :");
        sprintf(&rec[5][0], "          -   0.01   :");
        sprintf(&rec[6][0], "          0.005  :");
        for (i2 = 0; i2 < 7; ++i2)
        {
            for (ii = strlen(&rec[i2][0]); ii < 80; ii++)
                rec[i2][ii] = ' ';
        }

        for (lf = 1; lf <= m; ++lf)
        {
            llf = lf * 2 + 21;
            sum = PARLAG(i, j, lf);
            /* Check for significance */
            if (sum > c1)
                rec[0][llf] = '*';
            if (sum > c2)
                rec[1][llf] = '*';
            if (sum > c3)
                rec[2][llf] = '*';
            if (sum < c5)
                rec[4][llf] = '*';
            if (sum < c6)
                rec[5][llf] = '*';
            if (sum < c7)
                rec[6][llf] = '*';
        }
    }
}

```

```

/* Print */
for (i2 = 0; i2 < 7; ++i2)
{
    /* Terminate the string */
    for (ii = 80; ii > 1 && rec[i2][ii-1] == ' '; ii--);
    rec[i2][ii] = '\0';
    /* Print the string */
    Vprintf("%s\n", &rec[i2][0]);
}
}

/* Print the chi-square statistics and p-values. */
Vprintf("\n");
Vprintf(" Lag      Chi-square statistic      P-value\n");
Vprintf(" ---      -\n");
Vprintf("\n");

for (lf = 1; lf <= m; ++lf)
    Vprintf("%4ld %17.3f %18.4f\n", lf, x[lf-1], pvalue[lf-1]);

return;
}

```

9.2 Program Data

g13dnc Example Program Data

2 48 10 : k, no. of series, n, no. of obs in each series, m, no. of lags

-1.490	-1.620	5.200	6.230	6.210	5.860	4.090	3.180
2.620	1.490	1.170	0.850	-0.350	0.240	2.440	2.580
2.040	0.400	2.260	3.340	5.090	5.000	4.780	4.110
3.450	1.650	1.290	4.090	6.320	7.500	3.890	1.580
5.210	5.250	4.930	7.380	5.870	5.810	9.680	9.070
7.290	7.840	7.550	7.320	7.970	7.760	7.000	8.350
7.340	6.350	6.960	8.540	6.620	4.970	4.550	4.810
4.750	4.760	10.880	10.010	11.620	10.360	6.400	6.240
7.930	4.040	3.730	5.600	5.350	6.810	8.270	7.680
6.650	6.080	10.250	9.140	17.750	13.300	9.630	6.800
4.080	5.060	4.940	6.650	7.940	10.760	11.890	5.850
9.010	7.500	10.020	10.380	8.150	8.370	10.730	12.145

: End of time series

9.3 Program Results

g13dnc Example Program Results

PARTIAL LAG CORRELATION MATRICES

Lag = 1
 0.736 0.174
 0.211 0.555

Lag = 2
 -0.187 -0.083
 -0.180 -0.072

Lag = 3
 0.278 -0.007
 0.084 -0.213

Lag = 4
 -0.084 0.227
 0.128 -0.176

Lag = 5
 0.236 0.238
 -0.047 -0.046

Lag = 6
 -0.016 0.087

```

0.100   -0.081

Lag = 7
-0.036   0.261
0.126    0.012

```

```

Lag = 8
0.077    0.381
0.027   -0.149

```

```

Lag = 9
-0.065   -0.387
0.189    0.057

```

```

Lag = 10
-0.026   -0.286
0.028   -0.173

```

Standard error = 1 / SQRT(N) = 0.144

TABLES OF INDICATOR SYMBOLS

For Lags 1 to 10

Auto-correlation function for series 1

```

          0.005 : *
+         0.01 : *
          0.05 : *
Sig. Level : - - - - - Lags
          0.05 :
-         0.01 :
          0.005 :

```

Cross-correlation function for series 1 and series 2

```

          0.005 :
+         0.01 :          *
          0.05 :          *
Sig. Level : - - - - - Lags
          0.05 :          * *
-         0.01 :          *
          0.005 :

```

Cross-correlation function for series 2 and series 1

```

          0.005 :
+         0.01 :
          0.05 :
Sig. Level : - - - - - Lags
          0.05 :
-         0.01 :
          0.005 :

```

Auto-correlation function for series 2

```

          0.005 : *
+         0.01 : *
          0.05 : *
Sig. Level : - - - - - Lags
          0.05 :
-         0.01 :
          0.005 :

```

Lag	Chi-square statistic	P-value
---	-----	-----
1	44.362	0.0000
2	3.824	0.4304
3	6.219	0.1834

4	5.094	0.2778
5	5.609	0.2303
6	1.170	0.8830
7	4.098	0.3929
8	8.371	0.0789
9	9.244	0.0553
10	5.435	0.2455
