

# NAG C Library Function Document

## nag\_complex\_polygamma (s14afc)

### 1 Purpose

nag\_complex\_polygamma (s14afc) returns the value of the  $k$ th derivative of the psi function  $\psi(z)$ , for complex  $z$  and  $k = 0, 1, \dots, 4$ .

### 2 Specification

```
Complex nag_complex_polygamma(Complex z, Integer k, NagError *fail)
```

### 3 Description

This routine evaluates an approximation to the  $k$ th derivative of the psi function  $\psi(z)$  given by

$$\psi^{(k)}(z) = \frac{d^k}{dz^k} \psi(z) = \frac{d^k}{dz^k} \left( \frac{d}{dz} \log_e \Gamma(z) \right),$$

where  $z = x + iy$  is complex provided  $y \neq 0$  and  $k = 0, 1, \dots, 4$ . If  $y = 0$ ,  $z$  is real and thus  $\psi^{(k)}(z)$  is singular when  $z = 0, -1, -2, \dots$

Note that  $\psi^{(k)}(z)$  is also known as the *polygamma* function. Specifically,  $\psi^{(0)}(z)$  is often referred to as the *digamma* function and  $\psi^{(1)}(z)$  as the *trigamma* function in the literature. Further details can be found in Abramowitz and Stegun (1972).

nag\_complex\_polygamma is based on a modification of the method proposed by Kölbig K S (1972).

To obtain the value of  $\psi^{(k)}(z)$  when  $z$  is real, nag\_real\_polygamma (s14aec) can be used.

### 4 Parameters

- |    |   |                     |
|----|---|---------------------|
| 1: | <b>z</b> – Complex  | <i>Input</i>        |
|    | <i>On entry</i> : the argument $z$ of the function.   |                     |
|    | <i>Constraint</i> : <b>z.re</b> must not be ‘too close’ (see Section 5) to a non-positive integer when <b>z.im</b> = 0.0. |                     |
| 2: | <b>k</b> – Integer  | <i>Input</i>        |
|    | <i>On entry</i> : the function $\psi^{(k)}(z)$ to be evaluated.   |                     |
|    | <i>Constraint</i> : $0 \leq k \leq 4$ .   |                     |
| 3: | <b>fail</b> – NagError *  | <i>Input/Output</i> |
|    | The NAG error parameter (see the Essential Introduction).   |                     |

### 5 Error Indicators and Warnings

#### NE\_INT

On entry, **k** = <value>. Constraint:  $0 \leq k \leq 4$ .

#### NE\_COMPLEX

On entry, **z** = (<value>, <value>). Constraint: **z.re** must not be ‘too close’ to a non-positive integer when **z.im** = 0.0. That is,  $|z.re - \text{nint}(z.re)| \geq \text{machine precision} \times |\text{nint}(z.re)|$

**NE\_OVERFLOW\_LIKELY**

The evaluation has been abandoned due to the likelihood of overflow. The result is returned as zero.

**NE\_INTERNAL\_ERROR**

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

## 6 Further Comments

### 6.1 Accuracy

Empirical tests have shown that the maximum relative error is a loss of approximately two decimal places of precision.

### 6.2 References

Kölbig K S (1972) Programs for computing the logarithm of the gamma function, and the digamma function, for complex arguments *Comp. Phys. Comm.* **4** 221–226

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* Dover Publications (3rd Edition)

## 7 See Also

None.

## 8 Example

The example program evaluates the psi (trigamma) function  $\psi^{(1)}(z)$  at  $z = -1.5 + 2.5i$ , and prints the results.

### 8.1 Program Text

```
/* nag_complex_polygamma (s14afc) Example Program.
*
* Copyright 2000 Numerical Algorithms Group.
*
* NAG C Library
*
* Mark 6, 2000.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Complex z, z_1;
    Integer exit_status=0;
    Integer k;
    NagError fail;

    INIT_FAIL(fail);
    Vprintf("s14afc Example Program Results\n\n");
    /* Skip heading in data file */
    vscanf("%*[^\n] ");

```

```

Vprintf("      z          k      (D^K/DZ^K)psi(z)\n\n");
while(scanf(" (%lf,%lf)%ld*[^\n] ", &z.re, &z.im, &k) != EOF)
{
    z_1 = s14afc (z, k, &fail);
    if (fail.code == NE_NOERROR)
        Vprintf("(%.5lf, %.5lf) %ld (%.12.4e, %.12.4e)\n",
                z.re, z.im, k, z_1.re, z_1.im);
    else
    {
        Vprintf("Error from s14afc.\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
}
END:
    return exit_status;
}

```

## 8.2 Program Data

```
s14afc Example Program Data
(1.2,5.0) 0
(0.5,-0.2) 1
(-1.5,2.5) 1
(8.0,3.3) 3
(2.9,7.5) 4 : Values of z and k
```

## 8.3 Program Results

```
s14afc Example Program Results
```

z	k	$(D^K/DZ^K)\psi(z)$
( 1.2, 5.0)	0	( 1.6176e+00, 1.4312e+00)
( 0.5, -0.2)	1	( 3.4044e+00, 2.5394e+00)
( -1.5, 2.5)	1	( -1.9737e-01, -2.4271e-01)
( 8.0, 3.3)	3	( 1.1814e-03, -3.4188e-03)
( 2.9, 7.5)	4	( -5.0227e-04, -1.4955e-03)

---