

# NAG C Library Function Document

## nag\_bessel\_k\_alpha (s18egc)

### 1 Purpose

nag\_bessel\_k\_alpha (s18egc) returns a sequence of values for the modified Bessel functions  $K_{\alpha+n}(x)$  for real  $x > 0$ , selected values of  $\alpha \geq 0$  and  $n = 0, 1, \dots, N$ .

### 2 Specification

```
void nag_bessel_k_alpha (double x, Integer ia, Integer ja, Integer nl,
                        double b[], NagError *fail)
```

### 3 Description

This routine evaluates a sequence of values for the modified Bessel function of the second kind  $K_{\alpha}(x)$ , where  $x$  is real and non-negative and  $\alpha \in \{0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{2}{3}, \frac{3}{4}\}$  is the order. The  $(N+1)$ -member sequence is generated for orders  $\alpha, \alpha+1, \dots, \alpha+N$ .

### 4 Parameters

1: **x** – double *Input*

*On entry:* the argument  $x$  of the function.

*Constraint:*  $x > 0.0$ .

2: **ia** – Integer *Input*

3: **ja** – Integer *Input*

*On entry:* the numerator  $i$  and denominator  $j$ , respectively, of the order  $\alpha = i/j$  of the first member in the required sequence of function values. Only the following combinations of pairs of values of  $i$  and  $j$  are allowed:

$i = 0$  and  $j = 1$  corresponds to  $\alpha = 0$ ;

$i = 1$  and  $j = 2$  corresponds to  $\alpha = \frac{1}{2}$ ;

$i = 1$  and  $j = 3$  corresponds to  $\alpha = \frac{1}{3}$ ;

$i = 1$  and  $j = 4$  corresponds to  $\alpha = \frac{1}{4}$ ;

$i = 2$  and  $j = 3$  corresponds to  $\alpha = \frac{2}{3}$ ;

$i = 3$  and  $j = 4$  corresponds to  $\alpha = \frac{3}{4}$ .

*Constraint:* **ia** and **ja** must constitute a valid pair  $(\mathbf{ia}, \mathbf{ja}) = (0,1), (1,2), (1,3), (1,4), (2,3)$  or  $(3,4)$ .

4: **nl** – Integer *Input*

*On entry:* the value of  $N$ . Note that the order of the last member in the required sequence of function values is given by  $\alpha + N$ .

*Constraint:*  $0 \leq \mathbf{nl} \leq 100$ .

5: **b[nl+1]** – double *Output*

*On exit:* with **fail.code** = **NE\_NOERROR** or **fail.code** = **NW\_SOME\_PRECISION\_LOSS**, the required sequence of function values: **b**( $n$ ) contains  $K_{\alpha+n}(x)$  for  $n = 0, 1, \dots, N$ .

6: **fail** – NagError \*

*Input/Output*

The NAG error parameter (see the Essential Introduction).

## 5 Error Indicators and Warnings

### NE\_REAL

On entry, **x** = *<value>*.  
Constraint: **x** > 0.0.

### NE\_INT

On entry, **nl** = *<value>*.  
Constraint:  $0 \leq \mathbf{nl} \leq 100$ .

### NE\_INT\_2

On entry, **ia** = *<value>*, **ja** = *<value>*.  
Constraint: **ia** and **ja** must constitute a valid pair (**ia,ja**).

### NE\_OVERFLOW\_LIKELY

The evaluation has been abandoned due to the likelihood of overflow.

### NW\_SOME\_PRECISION\_LOSS

The evaluation has been completed but some precision has been lost.

### NE\_TOTAL\_PRECISION\_LOSS

The evaluation has been abandoned due to total loss of precision.

### NE\_TERMINATION\_FAILURE

The evaluation has been abandoned due to failure to satisfy the termination condition.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

## 6 Further Comments

### 6.1 Accuracy

All constants in the underlying function are specified to approximately 18 digits of precision. If  $t$  denotes the number of digits of precision in the floating-point arithmetic being used, then clearly the maximum number of correct digits in the results obtained is limited by  $p = \min(t, 18)$ . Because of errors in argument reduction when computing elementary functions inside the underlying function, the actual number of correct digits is limited, in general, by  $p - s$ , where  $s \approx \max(1, |\log_{10} x|)$  represents the number of digits lost due to the argument reduction. Thus the larger the value of  $x$ , the less the precision in the result.

### 6.2 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* Dover Publications (3rd Edition)

## 7 See Also

None.

## 8 Example

The example program evaluates  $K_0(x)$ ,  $K_1(x)$ ,  $K_2(x)$  and  $K_3(x)$  at  $x = 0.5$ , and prints the results.

### 8.1 Program Text

```
/* nag_bessel_k_alpha (s18egc) Example Program.
 *
 * Copyright 2000 Numerical Algorithms Group.
 *
 * NAG C Library
 *
 * Mark 6, 2000.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    double alpha;
    double b[101];
    double x;
    Integer i;
    Integer ia;
    Integer exit_status=0;
    Integer ja;
    Integer nl;
    NagError fail;

    INIT_FAIL(fail);
    Vprintf("s18egc Example Program Results\n\n");
    /*      Skip heading in data file */
    Vscanf("%*[\n]");
    while (scanf("%lf %ld %ld %ld%*[\n]", &x, &ia, &ja, &nl) != EOF)
    {
        Vprintf("\n x      ia      ja      nl\n\n");
        Vprintf("%4.1f %6ld %6ld %6ld\n\n", x, ia, ja, nl);
        s18egc (x, ia, ja, nl, b, &fail);
        if (fail.code == NE_NOERROR)
        {
            Vprintf(" Requested values of K_alpha(X)\n\n");
            alpha = (double) ia / (double) ja;
            Vprintf("      alpha      K_alpha(X)\n");
            for (i = 0; i <= nl; ++i)
            {
                Vprintf(" %12.4e %12.4e\n", alpha, b[i]);
                alpha += 1.;
            }
        }
        else
        {
            Vprintf("Error from s18egc.\n%s\n", fail.message);
            exit_status = 1;
            goto END;
        }
    }
}
```

```
END:
    return exit_status;
}
```

## 8.2 Program Data

s18egc Example Program Data

0.5 0 1 3 : Values of x, ia, ja and nl

## 8.3 Program Results

s18egc Example Program Results

| x   | ia | ja | nl |
|-----|----|----|----|
| 0.5 | 0  | 1  | 3  |

Requested values of K\_alpha(X)

| alpha      | K_alpha(X) |
|------------|------------|
| 0.0000e+00 | 9.2442e-01 |
| 1.0000e+00 | 1.6564e+00 |
| 2.0000e+00 | 7.5502e+00 |
| 3.0000e+00 | 6.2058e+01 |

---